



# Effectiveness of Augmented Reality (AR) based learning media on increasing the physical examination system of pregnant women urinary system<sup>☆</sup>

Sri Nurlaily Z<sup>a</sup>, Mardiana Ahmad<sup>b,\*</sup>, Syafruddin Syarif<sup>c</sup>, Budu<sup>c</sup>, Irfan Idris<sup>d</sup>, Stang<sup>d</sup>

<sup>a</sup> Department of Midwifery, Graduate School, Hasanuddin University, Indonesia

<sup>b</sup> Faculty of Engineering, Hasanuddin University, Indonesia

<sup>c</sup> Faculty of Medicine, Hasanuddin University, Indonesia

<sup>d</sup> Faculty of Public Health, Hasanuddin University, Indonesia

## ARTICLE INFO

### Article history:

Received 28 June 2021

Accepted 30 July 2021

### Keywords:

Augmented Reality (AR)

Skills

Urinal system

Women

Learning

## ABSTRACT

**Objective:** This study aims to analyze the effectiveness of learning media based on Augmented Reality (AR) on improving the physical examination skills of the urinary system of pregnant women.

**Method:** This type of research is an experimental study with a quasi-experimental non-equivalent control group design conducted in January–February 2020 at the Midwifery Polytechnic Laboratory of the Ministry of Health Gorontalo. A sample of 92 students was selected by purposive sampling and met the inclusion criteria. Then the sample was divided into two groups: a control group that was given material through lecture and demonstration methods totaling 30 respondents and an intervention group that was given material through AR learning media and a method of demonstration totaling 62 respondents. Data collection was performed using a checklist to assess student skills improvement. Data were analyzed using the Cochran test to determine differences in skills over time.

**Results:** There was an increase in skills in the control and intervention groups with a statistically significant  $P < 0.001$  ( $P < 0.05$ ). However, the results showed that the mean improvement in skills in the week I of the study in the intervention group who were given AR learning media was higher in the percentage of skill improvement (72.6%) when compared to the control group who were given the lecture method and the demonstration method (36.7%). Likewise, the mean increase in skills in week II of the study in the intervention group was higher in the percentage of skill improvement (91.9%) compared to the control group given the lecture and demonstration method (66.7%), although in the third week all respondents in the control group and group the intervention becomes skilled at carrying out a physical examination of the urinary system of pregnant women.

**Conclusion:** AR media is more effective in improving student skills.

© 2021 SESPAS. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## Introduction

Pregnancy is a natural event that every woman will indeed feel. Pregnancy involves several physiological and psychological changes. Physiological changes that occur in pregnant women are the body's adaptation to pregnancy. One example of physiological changes in pregnant women is a change in the urinary system.<sup>1–4</sup> This change causes pregnant women to experience discomfort due to increased frequency of urination.

Increased frequency of urination, as a result of increased blood volume, will make the kidneys produce more urine during pregnancy so that it can affect the occurrence of pressure on the bladder, which will cause pregnant women to urinate frequently. This discomfort is normal as long as it does not interfere with

the daily activities of pregnant women. Conversely, if the discomfort has begun to overdo and interfere with the activities of pregnant women, causing health problems, certainly not normal anymore.<sup>2,5,6</sup>

Urinary Tract Infection (UTI) in pregnancy is a common clinical problem in the urinary system of pregnant women due to the many anatomic and physiological changes experienced. UTI is symptomatic (with symptoms) or asymptomatic (without symptoms). UTIs in pregnant women if left untreated can lead to complications such as hypertension, pre-eclampsia, anemia, urosepsis, pyelonephritis, bacteremia, toxic septicemia, thrombosis, phlebitis, chorioamnionitis, abortion, intrauterine growth retardation (IUGR), premature labor, severe septicemia, thrombosis, phlebitis, chorioamnionitis, abortion, intrauterine growth retardation (IUGR), premature labor, severe septicemia, thrombosis, phlebitis, chorioamnionitis, abortion, intrauterine growth retardation (IUGR), premature labor, severe baby septicemia, thrombosis, phlebitis, chorioamnionitis, abortion, intrauterine growth retardation (IUGR), premature labor, severe baby septicemia low (LBW), and neonatal death (stillbirth). It can also cause severe kidney damage that can cause kidney hypertension and kidney failure. UTI is

<sup>☆</sup> Peer-review under responsibility of the scientific committee of the 3rd International Nursing, Health Science Students & Health Care Professionals Conference. Full-text and the content of it is under responsibility of authors of the article.

\* Corresponding author.

E-mail addresses: [mardianaahmad@pasca.unhas.ac.id](mailto:mardianaahmad@pasca.unhas.ac.id), [pmc@agri.unhas.ac.id](mailto:pmc@agri.unhas.ac.id) (M. Ahmad).

reported to affect 20% of pregnant women and is a major cause of pregnant women getting treatment in obstetric rooms.<sup>7–11</sup>

The importance of increasing the knowledge and skills of students about the physical examination of the urinary system of pregnant women is one of the methods used to recognize abnormal signs in the urinary system of pregnant women so that it can help prevent and reduce the incidence of morbidity and death of pregnant women and fetuses. Therefore, it is essential to design new and attractive learning media for students following technological advancements that can arouse students' feelings, thoughts, attention, and willingness to learn and practice skills.

Augmented Reality (AR) technology is a learning media resulting from integrating real objects and virtual objects. AR combines 2D and or 3D virtual objects into a real environment then the virtual objects are projected into real-time. The information displayed through virtual objects cannot be received by users using the five senses. This is why AR is used to interact and perceive users in the real world.<sup>12–14</sup> Through AR learning media, it is expected to attract students' interest and motivation in improving skills, especially physical examination of the urinary system of pregnant women, to produce skilled and competent students.

## Method

This type of research is an experimental study with a quasi-experimental non-equivalent control group design. The population is all Level II Semester III DIII Midwifery Poltekkes Ministry of Health Gorontalo students. The sampling technique used purposive sampling and met the inclusion criteria, namely students who passed the anatomy and KDK II courses, students who were registered as active students, and students who had android devices.

Then the sample was divided into two groups: the control group who were given material through lecture and demonstration methods totaling 30 respondents, and the intervention group provided material through AR-based learning media and the method of demonstration totaling 62 respondents.

### Research site

This research was conducted in January-February 2020 in the Midwifery Laboratory of the Polytechnic of the Ministry of Health, Gorontalo, and has received a recommendation on ethics approval with protocol number 13121908217.

### Data types and sources

Data collected from the sample are research variable data (student skills scores). The data was taken based on student data and pure graduation score sheets on implementing the OSCA examination for the physical examination of pregnant women in midwifery level II semester III Poltekkes Kemenkes Gorontalo.

### Data collection technique

The research variables were collected using a checklist through direct observation to assess respondents' initial skills in the control and intervention groups. Furthermore, the study began with the delivery of material through lecture and demonstration methods in the control group and continued with the posttest given from time to time, namely in the first week, second week, and third week. Subsequent research was conducted giving material through AR-based learning media and demonstration methods in the intervention group and continued with posttest administration conducted from time to time, namely in the first week, second week, and third week. This research lasted for 42 days.

**Table 1**  
Differences in respondent skills in control group (n = 30).

Skills	Control	
	Not skilled	Skilled
Baseline	30 (100.0)	0 (0.0)
Week 1	19 (63.3)	11 (36.7)
Week 2	10 (33.3)	20 (66.7)
Week 3	0 (0.0)	30 (100.0)
p-value	<0.001 <sup>a</sup>	

<sup>a</sup> Cochran-test.

**Table 2**  
Differences in respondent skills in intervention groups (n = 62).

Time	Unskilled	Skilled
Baseline	62 (100.0)	0 (0.0)
Week 1	17 (27.4)	45 (72.6)
Week 2	5 (8.1)	57 (91.9)
Week 3	0 (0.0)	62 (100.0)
p-value	<0.001 <sup>a</sup>	

<sup>a</sup> Cochran test.

## Results

The analysis showed that the control group had a statistically significant difference in  $P < 0.001$  ( $P < 0.05$ ) between each measurement. When the initial measurement (pretest) showed 100% of respondents were unskilled. The first week after giving lectures and demonstrations, 36.7% of skilled respondents increased. After giving lectures and demonstrations, week II showed an increase in skills by 66.7% of respondents became skilled. The third week after giving lectures and demonstrations showed that 100% of respondents became skilled in carrying out a physical examination of the urinary system of pregnant women (Table 1).

The analysis showed that the intervention group had statistically significant differences in skills  $P < 0.001$  ( $P < 0.05$ ) between each measurement. The initial measurement (pretest) showed that 100% of respondents were unskilled. After AR giving and demonstration, there was a rapid increase in skills, namely 72.6% of skilled respondents. After giving and the demonstration s, the second week. In week III after AR administration and demonstration showed that 100% of respondents become skilled in conducting a physical examination of the urinary system of pregnant women (Table 2).

## Discussion

Provision of AR learning media and demonstration methods in the intervention group more quickly improved the physical examination skills of the urinary system of pregnant women when compared to the control group given lecture and demonstration methods. However, both the control group and the intervention group had significant skills improvement ( $P < 0.05$ ) over time (Tables 1 and 2).

The more often we repeat and hone skills, the more often we store files in the subconscious mind. So without realizing it or not, someone will easily repeat the skills that have been obtained so that it can produce skilled and competent respondents. This is in line with research that states that every learning activity carried out repeatedly and continuously will become a permanent and automatic learning habit so that the final results of the learning process objectives can be achieved optimally.<sup>15</sup>

In line with this, previous studies have proven that the mean score in filling out questionnaires in the experimental group using

AR technology has a higher value than the control group using conventional methods. Similarly, in performing an inferior alveolar nerve block (IANB) anesthesia procedure, the experimental group spent a shorter average of  $50.0 \pm 14.3$  s than the control group,  $68.4 \pm 25.5$  s. In addition, the experimental group also had a greater anesthetic success rate of 90.9% than the control group of 73.7%.<sup>16</sup>

Likewise, research that proves that the combination of direct learning and real learning through AR media can create science learning experiences that are superior to conventional learning can affect students' mastery of concepts.<sup>17</sup> As for other studies that show that student learning outcomes in the experimental group using AR media are higher when compared to the control group using non AR media. This comparison is seen in the aspect of knowledge. The average value of knowledge in the control group was only 70.65, while in the experimental group, it reached 80.06.<sup>18</sup>

AR has proven potential in creating more active, effective, and meaningful learning processes. This is caused by the sophistication of technology that allows students to interact using a series of images that have been designed into the form of software that results from a combination of the real world and the virtual world that can be run through computers or Android mobile devices. Thus providing an exciting and memorable experience for learners and can increase understanding of concepts uniquely without relying on text.<sup>19,20</sup>

AR plays a role in supporting the learning process in the classroom and outside the classroom, wherever and whenever using a mobile device such as a smartphone or Android.<sup>21</sup> Through smartphones that have been activated with AR technology can provide a new and different learning experience for students,<sup>22</sup> so AR can help students become active, think creatively and critically in learning.<sup>23</sup>

## Conclusion

This study indicates an increase in the skills of respondents in the control group and the intervention group significantly, with a value of  $P < 0.001$  ( $P < 0.05$ ). However, the average skill improvement in the intervention group using AR learning media was better when compared to the control group who did not use AR learning media. AR can be used as an additional reference and consideration in supporting learning media in the learning process in the Laboratory, in the classroom, and outside the classroom to facilitate students learning anywhere and anytime to achieve learning success.

## Conflicts of interest

The authors declare no conflict of interest.

## References

1. Yuwono KP, Hidayati W. Studi deskriptif volume urin 24 jam pada ibu hamil. *J Nurs Stud.* 2012;1:124–31.
2. Nelazyani L, Hikmi N. Gambaran pengetahuan ibu dan suami tentang perubahan fisik dan psikologis saat hamil di wilayah kerja puskesmas beringin raya Kota Bengkulu tahun 2016. *J Midwife.* 2018;6:17–25.
3. Hidayati U. Systematic review: Senam hamil untuk masa kehamilan dan persiapan persalinan. *PLACENTUM J Ilm Kesehatan dan Apl.* 2019;7:8–15.
4. Riska H, Purwara BH, Ganiem AR. Pengaruh virtual reality dalam menurunkan kecemasan menghadapi persalinan pada primigravida. *J Kesehatan PRIMA.* 2019;13:25–31.
5. Sofia D. Perbedaan inkontinensia urine sebelum dan sesudah kegel exercise pada ibu hamil multigravida TM III. *Kebidanan.* 2014;1:74–85.
6. Rafika. Efektifitas Prenatal Yoga terhadap Pengurangan Keluhan Fisik pada Ibu Hamil Trimester III. *J Kesehat.* 2018;9:86–92.
7. Azami M, et al. The etiology and prevalence of urinary tract infection and asymptomatic bacteriuria in pregnant women in Iran: A systematic review and Meta-analysis. *BMC Urol.* 2019;19:1–15.
8. Ndamason LM, Marbou WJT, Kuete V. Urinary tract infections, bacterial resistance and immunological status: A cross sectional study in pregnant and non-pregnant women at Mbouda Ad-Lucem Hospital. *Afr Health Sci.* 2019;19:1525–35.
9. Cohen R, et al. Maternal urinary tract infection during pregnancy and long-term infectious morbidity of the offspring. *Early Hum Dev.* 2019;136:54–9.
10. Navarro A, et al. Reducing the incidence of pregnancy-related urinary tract infection by improving the knowledge and preventive practices of pregnant women. *Eur J Obstet Gynecol Reprod Biol.* 2019;241:88–93.
11. Kaduma J, et al. Urinary tract infections and preeclampsia among pregnant women attending two hospitals in Mwanza City, Tanzania: A 1:2 Matched case-control study. *Biomed Res Int.* 2019;2019:1–8.
12. Affandi H, Suwarna IP, Hertanti E. Pengaruh media pembelajaran berbasis augmented reality terhadap hasil belajar siswa kelas x pada konsep dinamika partikel. *TARBIYA.* 2014;1:61–72.
13. Saputra AW, Susano A, Astuti P. Rancang bangun aplikasi edukasi hardware komputer berbasis teknologi augmented reality dengan menggunakan android. *Fakt Exacta.* 2018;11:310–20.
14. Arief R, Umniati N. Pengembangan virtual class untuk pembelajaran augmented reality berbasis android. *J Pendidik Teknol dan Kejuru.* 2012;21:114–22.
15. Andrie S, RAN W, Saputri SD. Pengaruh kebiasaan belajar terhadap prestasi belajar siswa. *J Pendidik Ekon.* 2019;7:117–21.
16. Mladenovic R, et al. Effectiveness of augmented reality mobile simulator in teaching local anesthesia of inferior alveolar nerve block. *J Dent Educ.* 2019;83:423–8.
17. Chen Cping, Wang CH. Employing augmented-reality-embedded instruction to disperse the imparities of individual differences in earth science learning. *J Sci Educ Technol.* 2015;24:835–47.
18. Astuti FN, Suranto S, Masykuri M. Augmented Reality for teaching science: Students' problem solving skill, motivation, and learning outcomes. *J Pendidik Biol Indones.* 2019;5:305–12.
19. Saidin NF, Halim NDA, Yahaya N. A review of research on augmented reality in education: Advantages and applications. *Int Educ Stud.* 2015;8:1–8.
20. Elisa E, Wiratmaja IG. Augmented reality: Analisis Pengembangan Media Pembelajaran Kimia untuk Meningkatkan Keterampilan 4C Mahasiswa. *J Indones Soc Integr Chem.* 2019;11:73–81.
21. Santos MEC, et al. Augmented reality as multimedia: the case for situated vocabulary learning. In: *Research and Practice in Technology Enhanced Learning. Research and Practice in Technology Enhanced Learning.* 2016.
22. Kamarainen AM, et al. EcoMOBILE: Integrating augmented reality and probe-aware with environmental education field trips. *Comput Educ.* 2013;68:545–56.
23. Ismail ME, et al. The effect of an augmented reality teaching kit on visualization, cognitive load and teaching styles. *J Pendidik Teknol dan Kejuru.* 2018;24:178–84.